


## **TECHNICAL PRODUCT SHEET**



#### **LUMINOUS INTENSITY DISTRIBUTION**



**Dimensions:** L510\*W500\*53mm

# **TL LED Flood Light Driverless** 200W

ThinkLite's Driverless IP67 rated flood lights are the industry's most efficient lighting solutions. Producing light at 93+ CRI, the light spread is crisper and clearer than any other solutions in the market. The internal reflector has an oxide polishing which maximizes the light output at a lower wattage.

#### **FEATURES**

- Reduced energy consumption by 50%
- Instant on / off
- Longer lifespan (50,000 hours)
- IP67 Rated
- 5 year warranty

### **CERTIFICATIONS**











#### **SPECIFICATIONS**

Input Voltage: 180V - 260V Input Frequency: 50Hz - 60Hz Lumen Efficacy: 140 LM/W Wattage & Light Output: 200W: 28,000 Lumens Power Factor: >0.99 Kelvin Options: 6000K CRI: 93+ Lumen Maintenance: 95% at 50,000 hours Operating Temperature: -35°C to 55°C Fixture Gross Weight: 4.2 Kgs Body Material: High-Pressure Die-Casting Aluminum Reflector Material: High-Pure Mirror Surface Aluminum		
Lumen Efficacy: 140 LM/W  Wattage & Light Output: 200W: 28,000 Lumens  Power Factor: >0.99  Kelvin Options: 6000K  CRI: 93+  Lumen Maintenance: 95% at 50,000 hours  Operating Temperature: -35°C to 55°C  Fixture Gross Weight: 4.2 Kgs  Body Material: High-Pressure Die-Casting Aluminum	Input Voltage:	180V - 260V
Wattage & Light Output: 200W: 28,000 Lumens  Power Factor: >0.99  Kelvin Options: 6000K  CRI: 93+  Lumen Maintenance: 95% at 50,000 hours  Operating Temperature: -35°C to 55°C  Fixture Gross Weight: 4.2 Kgs  Body Material: High-Pressure Die-Casting Aluminum	Input Frequency:	50Hz - 60Hz
Power Factor: >0.99  Kelvin Options: 6000K  CRI: 93+  Lumen Maintenance: 95% at 50,000 hours  Operating Temperature: -35°C to 55°C  Fixture Gross Weight: 4.2 Kgs  Body Material: High-Pressure Die-Casting Aluminum	Lumen Efficacy:	140 LM/W
Kelvin Options: 6000K  CRI: 93+  Lumen Maintenance: 95% at 50,000 hours  Operating Temperature: -35°C to 55°C  Fixture Gross Weight: 4.2 Kgs  Body Material: High-Pressure Die-Casting Aluminum	Wattage & Light Output:	200W: 28,000 Lumens
CRI: 93+  Lumen Maintenance: 95% at 50,000 hours  Operating Temperature: -35°C to 55°C  Fixture Gross Weight: 4.2 Kgs  Body Material: High-Pressure Die-Casting Aluminum	Power Factor:	>0.99
Lumen Maintenance: 95% at 50,000 hours  Operating Temperature: -35°C to 55°C  Fixture Gross Weight: 4.2 Kgs  Body Material: High-Pressure Die-Casting Aluminum	Kelvin Options:	6000K
Operating Temperature : -35°C to 55°C  Fixture Gross Weight: 4.2 Kgs  Body Material: High-Pressure Die-Casting Aluminum	CRI:	93+
Fixture Gross Weight: 4.2 Kgs  Body Material: High-Pressure Die-Casting Aluminum	Lumen Maintenance:	95% at 50,000 hours
Body Material: High-Pressure Die-Casting Aluminum	Operating Temperature :	-35°C to 55°C
5	Fixture Gross Weight:	4.2 Kgs
Reflector Material: High-Pure Mirror Surface Aluminum	Body Material:	High-Pressure Die-Casting Aluminum
	Reflector Material:	High-Pure Mirror Surface Aluminum